

L Number	Hits	Search Text	DB	Time stamp
1	1283	update same server same memory and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 11:37
2	81	713/\$.ccls. and update same server same memory and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 11:38
3	8	713/\$.ccls. and refresh with server same memory and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 11:46
4	2	periodic same refresh with server same memory and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 11:47
5	9	periodic same update with server same memory and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 11:50
6	10	periodic same update with server with web and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 11:53
25	0	6487663.pn. and ftp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:17
-	137768	713/\$.ccls. and secure adj "3" server and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 10:39
-	317	713/\$.ccls. and secure adj3 server and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 10:41
-	3	713/\$.ccls. and secure adj3 server same (write adj protect or read adj only) and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:10
-	21391	713/\$.ccls. configure near3 server and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:10
-	76	713/\$.ccls. and configure near3 server and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:11

BEST AVAILABLE COPY

-	2	713/\$.ccls. and configure near3 server same IP same port and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:17
-	123	713/\$.ccls. and web same server same ftp and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:26
-	1268	secure adj server same read adj only or write adj protected and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:27
-	2	secure adj server same (read adj only or write adj protected) and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:27
-	2388	server same (read adj only or write adj protected) and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:27
-	187	content same server same (read adj only or write adj protected) and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:28
-	1594	access same server same (read adj only or write adj protected) and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:28
-	916	storage same access same server same (read adj only or write adj protected) and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:29
-	11857	secure same web and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:29
-	772610	secure write adj only same hack and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:29
-	0	secure same write adj only same hack and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:29
-	1	secure same write adj only same hack\$ and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:30
-	3	secure same read adj only same hack\$ and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:37

-	4	secure same write same protect\$ same hack\$ and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:39
-	3	707/9.ccls. and secure same server same hack\$ and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:40
-	0	707/9.ccls. and read with only same server same hack\$ and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:40
-	15	707/9.ccls. and server same hack\$ and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:43
-	750	707/9.ccls. and read with only server same hack\$ and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:43
-	56	707/9.ccls. and read with only same server and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:44
-	46	707/9.ccls. and read adj only same server and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:44
-	0	707/9.ccls. and read adj only same server same hack\$ and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:44
-	14	707/9.ccls. and read adj only same server same security and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:01
-	6	707/102.ccls. and read adj only same server same security and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:05
-	0	network adj adapter same configure same server same port and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:06
-	5	network adj adapter same configure same server and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:08
-	20823	713/\$.ccls. different adj4 network adj adapter and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:58

-	4	713/\$.ccls. and different adj4 network adj adapter and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:02
-	238	713/\$.ccls. and network adj card and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:02
-	3	713/\$.ccls. and network adj card same port same IP and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:04
-	0	locating with content same different adj media and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:04
-	0	locating with content same unavailable and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:05
-	1656	resource same unavailable and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:05
-	271364	server sameresource same unavailable and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:05
-	215	server same resource same unavailable and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:06
-	57	request same server same resource same unavailable and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:23
-	12	loading same web same content same cache and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:34
-	1283	update same server same memory and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:35
-	31	read adj only same update same server same memory and @ad<20010307	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 11:36

BEST AVAILABLE COPY